

DXP H1010



Key Features

- HDMI 2.0 with 3D, HDCP 2.2 & DVI1.1 Compliant
- Ultra-high-definition video up to 4K 60Hz @ 4:4:4 18Gbps (6Gbps per color)
- Support HDR10, Dolby Vision, HLG
- Supports up to, Dolby TrueHD, Dolby ATMOS, DTS-HD MA, DTS:X, LPCM 7.1 @ 192KHz
- Supports ARC (Audio Return Channel) function
- Multiple control methods: Front panel buttons/ IR remote control/and RS232 Control
- Built-in LCM screen & LED button at front panel provides quick view of all port connection
- Rack mountable(1U design)
- S/PDIF coaxial audio outputs allow audio to be de-embedded from HDMI outputs
- Support HDMI cable lock on each HDMI input/output port


Specification

Connectors	Input	HDMI	10×HDMI-A
	Output	HDMI	10×HDMI-A
		SPDIF	2×Coaxial
	Communication	IR	1×3.5mm mini jack
		TCP/IP	1×RJ45
RS232		1×DB9	
Power		1×DC Jack	
Performance	Input Resolutions	HDMI SMPTE	480i 576i 720p@50/59.94/60 1080i@50/59.94/60 1080p@50/59.94/60 2160p@30/60
		VESA	800×600@60 1024×768@60 1280×768@60 1280×1024@60 1366×768@60 1600×1200@60 1920×1080@60 2048×1152@60 2560×1600@60 3840×2160@60 4096×2160@60
	Output Resolutions	HDMI SMPTE	480i 576i 720p@50/59.94/60 1080i@50/59.94/60 1080p@50/59.94/60 2160p@30/60
		VESA	800×600@60 1024×768@60 1280×768@60 1280×1024@60 1366×768@60 1600×1200@60 1920×1080@60 2048×1152@60 2560×1600@60 3840×2160@60 4096×2160@60
	Audio	LPCM 7.1 @ 192KHz Dolby TrueHD	
Supported Standard	HDMI 2.0		
Power	Input Voltage	DC 12V 6.67A(via AC plug pack supplied)	
Environment	Temperature	0°C~ 55°C	
	Humidity	10%~95%	
Physical	Weight	Net (Device)	2.92kg
	Dimension	Net (Device)	483mm×225mm×44mm

Application



Dimension



Order Codes

Product Code	Item
552-1010-01-0	DXP H1010

Tel: +86-592-5771197 | Fax: +86-592-5788216 | E-mail: sales@rgblink.com

Headquarter: Room 601A, No. 37-3 Banshang community, Building 3, Xinke Plaza, Torch Hi-Tech Industrial Development Zone, Xiamen, China

Specifications are correct at time of printing and subject to change or alteration without notice.

RGBlink
www.rgblink.com

